

OUTDOOR FIREPLACES COLLECTION



INDEX

INTRODUCTION

02 OUR STORY/DESIGN FIRE

OUTDOOR COLLECTION

04 AUTOMATIC BEV® FIREPLACES

14 GAS FIREPLACES

36 COMMERCE® FIREPLACES





BEV® TECHNOLOGY

GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE



HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

NET ZERO®

CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO_2 - neutral fireplaces of the future

WHAT IS FANOLA FUEL?



- √ 96% ethanol concentration
- odourless and clean combustion
- / plant-origin distillate
- particulate-free
- multi-distillated
- pharmaceutical quality
- 🧹 natural, golden flame

HOW ARE PLANIKA'S BEV® FIREPLACES CO, NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process

and the most natural fire. The clean burning of ethanol vapours emits only a small amount of ${\rm CO}_2$ – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



WORK WITH PROFFESIONALS



TECHNICAL TRAININGS




ARCHITECT ZONE WITH 3D MODELS



PROJECT SUPPORT

OUTDOOR / INDOOR ETHANOL FIRES AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)

CABO BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant


OPTIONAL ACCESSORIES

Protective fabric cover


AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON**° by Cosentino: Laurent, Daze and Kovik
- Cabo Burner for custom-built housing

CABO KOVIK / LAURENT / DAZE



	CABO BURNER / KOVIK / LAURENT / DAZE
+4+	max. 9.4 kW
	51
	max. 8 h
÷	min. 94 m³ (if used indoors)
X	230 V



OUTDOOR / INDOOR ETHANOL FIRES FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)



CABO TABLE LAURENT / KOVIK / DAZE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

Protective fabric cover

AVAILABLE FINISHING VARIANTS

• 3 finish options with **DEKTON*** by Cosentino: Laurent, Daze and Kovik

	CABO TABLE LAURENT / KOVIK / DAZE
+4+	max. 9.4 kW
٥	10.5 L
L D	max. 15 h
	min. 94 m³
, K	230 V






OUTDOOR / INDOOR ETHANOL FIRES AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



PORTO CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable includes wheels

OPTIONAL ACCESSORIES

Protective fabric cover

AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON**° by Cosentino: Laurent, Daze and Kovik
- Porto Core for custom-built housing

PORTO KOVIK / LAURENT / DAZE



	PORTO CORE / KOVIK / LAURENT / DAZE			
	max. 3.7 kW			
٥	51			
lo lo	max. 14 h			
<u> </u>	min. 37 m³ (if used indoors)			
×.	230 V			








GAS FIREPLACES (With automatic control system)

GALAXY 1150 / 2000 BURNER



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

- 3 finish options with DEKTON*
 by Cosentino: Laurent, Daze and Kovik
- Galaxy Burner for custom-built housing

GALAXY / DAZE / LAURENT / KOVIK



OPTIONAL ACCESSORIES



	GALAXY 1150 BURNER / DAZE / LAURENT / KOVIK	GALAXY 2000 BURNER
+4+	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar





GAS FIREPLACES (With automatic control system)

GALAXY TABLE LAURENT / KOVIK / DAZE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

• 3 finish options with DEKTON*
by Cosentino: Laurent, Daze and Kovik

PIVOT LAURENT / KOVIK / DAZE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Gas Cylinder (propane or propane-butane mixture) powered
- Thermocouple
- Smooth flame height regulation
- Easy to install


AVAILABLE VARIANTS

• 3 finish options with DEKTON* by Cosentino: Laurent, Daze and Kovik

OPTIONAL ACCESSORIES




	GALAXY TABLE LAURENT / KOVIK / DAZE	PIVOT LAURENT / KOVIK / DAZE
+4+	(NG) max. 10.1kW (LPG) max. 13.4kW	(LPG) max. 11.8 kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(LPG) max. 0.93 kg/h
(i)	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar






GAS FIREPLACES (With manual control system)

GALIO INSERT AUTOMATIC



GALIO BLACK / CORTEN AUTOMATIC



FEATURES

- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Automatic control:
- remote control included
- touchpad
- SHS compatible
- optional mobile APP (Wi-Fi module required)
- Thermocouple
- Smooth flame height regulation


AVAILABLE VARIANTS

- 2 finishing options:
 - Corten or black steel
- Galio Insert for custom-built housing

OPTIONAL ACCESSORIES




	GALIO INSER	GALIO BLACK / CORTEN AUTOMATIC	
WHITE THE PERSON NAMED IN COLUMN TO PERSON N	1000 mm	2000 mm	1140 mm
+4+	(NG) max. 9.4 kW	(NG) max. 16.5 kW	(NG) max. 9.4 kW
	(LPG) max. 11.8 kW	(LPG) max. 16.5 kW	(LPG) max. 11.8 kW
GAS	(NG) max. 1.0 m³/h	(NG) max. 1.75 m³/h	(NG) max. 1.0 m³/h
	(LPG) max. 0.93 kg/h	(LPG) max. 1.30 kg/h	(LPG) max. 0.93 kg/h
	(NG) 20 mbar	(NG) 20 mbar	(NG) 20 mbar
	(LPG) 37 mbar	(LPG) 37 mbar	(LPG) 37 mbar
i	21.0 kg	33.0 kg	31.0 kg






GAS FIREPLACES (With manual control system)

GALIO INSERT MANUAL



GALIO BLACK / CORTEN MANUAL



FEATURES

- 2 fuel variants: Gas Cylinder (propane or propanebutane mixture) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

AVAILABLE VARIANTS

- 2 finishing options: Corten or black steel
- Galio Insert for custom-built housing

OPTIONAL ACCESSORIES



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL
+4+	(NG) max. 13.6 kW (LPG) max. 11.8 kW
GAS ((NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h
()	(NG) 20 mbar (LPG) 37 mbar
i	13.0 kg / 31.0 kg





GAS FIREPLACES (With automatic control system)

GALIO STAR INSERT AUTOMATIC



GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install

AVAILABLE VARIANTS

- 2 finishing options: Corten or black steel
- Galio Insert for custom-built housing

OPTIONAL ACCESSORIES



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC	
+4+	(NG) max. (LPG) max.		
GAS	(NG) max. 1.5 m³/h (LPG) max. 1.4 kg/h		
	(NG) 20 mbar (LPG) 37 mbar		
i	17.0 kg	37.0 kg	





25

GAS FIREPLACES (With automatic control system)

STELLA INSERT MANUAL



FEATURES

- Manual control system
- Gas Cylinder (propane or propane-butane mixture) powered
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

AVAILABLE VARIANTS

- Stella insert for custom-built housing
- 3 finish options with DEKTON* by Cosentino for Stella Table: Laurent, Daze and Kovik



OPTIONAL ACCESSORIES



		STELLA TABLE MANUAL		
THEFT	500 mm	600 mm	800 mm	954 mm
+4+	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(LPG) max. 12.7 kW
GAS	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(LPG) max. 0.9 kg/h
	(LPG) 37 mbar			





GAS FIREPLACES (With automatic control system)

STELLA INSERT AUTOMATIC



FEATURES

- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Automatic control:
- remote control included
- touchpad
- SHS compatible
- optional mobile APP (Wi-Fi module required)
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

AVAILABLE FINISHING VARIANTS

- Stella insert for custom-built housing
- 3 finish options with DEKTON* by Cosentino for Stella Table : Laurent, Daze and Kovik



OPTIONAL ACCESSORIES




		STELLA TABLE AUTOMATIC		
THE THE	500 mm	600 mm	800 mm	954 mm
+4+	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
GAS	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h	(NG) max. 1.47 m ³ /h (LPG) max. 1.35 kg/h
	(NG) 20 mbar (LPG) 37 mbar			



GAS FIREPLACES (With automatic control system)


MICO MANUAL



FEATURES

- Manual control system
- Gas Cylinder (propane or propane-butane mixture) powered
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

MICO AUTOMATIC




FEATURES

- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Automatic control:
- remote control included
- touchpad
- SHS compatible
- optional mobile APP (Wi-Fi module required)
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

OPTIONAL ACCESSORIES



	MICO MANUAL				MICO AUTOMATIC	
MINITE	500 mm	600 mm	800 mm	500 mm	600 mm	800 mm
+4+	(LPG) max. 5.9 kW	(LPG) max. 12.7 kW	(LPG) max. 22.0 kW	(NG) max. 4.7 kW (LPG) max. 5.1 kW	(NG) max. 9.5 kW (LPG) max. 10.0 kW	(NG) max. 16.4 kW (LPG) max. 17.3 kW
GAS	(LPG) max. 0.36 kg/h	(LPG) max. 0.9 kg/h	(LPG) max. 1.56 kg/h	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	(NG) max. 0.85 m³/h (LPG) max. 0.78 kg/h	(NG) max. 1.47 m³/h (LPG) max. 1.35 kg/h
	(LPG) 37 mbar			(NG) 20 mbar (LPG) 37 mbar		



GAS FIREPLACES (With automatic and manual control system)

GALIO H INSERT AUTOMATIC



FEATURES

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

OPTIONAL ACCESSORIES







LIGHTHOUSE



FFATURES


- Fueled with propane or propane-butane mixture
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding


OPTIONAL ACCESSORIES



	GALIO H INSERT AUTOMATIC	LIGHTHOUSE
+4+	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW
GAS	(NG) max. 1.0 m³/h (LPG) max. 0.9 kg/h	(LPG) max. 0.50 - 0.65 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar
i	23.6 kg	27.5 kg











OUTDOOR / INDOOR ETHANOL FIRES COMMERCE TECHNOLOGYTM (Absorbent Ceramic Fibers)



FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

OPTIONAL ACCESSORIES



	ТОТЕМ	JAR	RONDO	SIMPLE
MARINA	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm
i	24.5 kg	41.5 kg	7.0kg	6.5 kg
+4+	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
٥	3.0 L	3.0 L	3.0 L	1.5 L
L O	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability arising out of the application or use of any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

© Copyright 2024, Planika Sp. z o.o. All rights reserved.

www.planika.com